

Solid Sheaves

Technical Data Sheet




 0427 684 468

 sales@wireropeservices.com

 wireropeservices.com

Solid Sheaves

Technical Data Sheet



Sheave tread $\varnothing$ $\varnothing D2$	Shaft $\varnothing$ $\varnothing G$	For wire $\varnothing$ d	Groove radius R	Outer $\varnothing$ $\varnothing D1$	P.C.D. $\varnothing D3$	Rim width E	Bearing width F	Weight (kg)
200	40	10	5,5	228	210	23,9	38	3,5
220	40	11	6	251	231	26,3	38	4,5
240	40	12	6,5	274	252	28,7	38	5,5
260	40	13	7	296	273	30,6	38	7
280	40	14	7,5	319	294	33,1	38	8,5
280	50	14	7,5	319	294	33,1	40	8,5
300	50	15	8	342	315	35,5	40	10,5
320	50	16	8,5	365	336	40,6	40	12,5
320	60	16	8,5	365	336	40,6	46	13
340	60	17	9	388	357	43,2	46	15
360	65	18	9,5	410	378	45,3	46	18
380	65	19	10	433	399	47,8	46	21
380	70	19	10	433	399	47,8	54	21
400	65	20	11	456	420	51,1	46	24,5
400	70	20	11	456	420	51,1	54	25
380	110	21	11,5	460	401	60	80	50
420	65	21	11,5	479	441	52	46	28
420	70	21	11,5	479	441	52	54	29
440	80	22	12	502	462	56,2	60	33
460	90	23	12,5	524	483	58,3	67	38
480	90	24	13	547	504	60,9	67	43
500	90	25	13,5	570	525	63,5	67	48

- The dimensions in this table are indicative only. A drawing will always be submitted prior to production and will be the leading document when discussing dimensions.
- Sheaves shown here are standard models; inquiries for custom versions are welcome.

Sheave tread ϕ $\phi D2$	Shaft ϕ ϕG	For wire ϕd	Groove radius R	Outer ϕ $\phi D1$	P.C.D. $\phi D3$	Rim width E	Bearing width F	Weight (kg)
572	110	26	14	645	598	66,1	80	70
572	120	26	14	645	598	66,1	80	70
540	120	27	14,5	616	567	68,7	80	62
560	120	28	15	638	588	70,8	80	68
580	120	29	15,5	661	609	73,4	80	75
600	130	30	16	684	630	76	95	85
660	130	30	16	744	690	76	95	108
651	130	31	16,5	738	682	78,6	95	105
672	120	32	17	762	704	75	80	114
672	130	32	17	762	704	81,1	95	116
672	140	32	17	762	704	73,1	95	116
714	120	35	18,5	809	749	78	80	136
714	130	35	18,5	809	749	78	95	138
756	130	37	19,5	857	793	82,6	95	163
792	130	37	19,5	893	829	82,6	95	183
836	130	39	20,5	942	875	86,8	95	214
836	140	39	20,5	942	875	86,8	95	214
840	150	41	21	952	881	91,5	100	221
880	150	41	21	992	921	91,5	100	250

- The dimensions in this table are indicative only. A drawing will always be submitted prior to production and will be the leading document when discussing dimensions.
- Sheaves shown here are standard models; inquiries for custom versions are welcome.